


**AMENDMENTS TO THE CLAIMS**

1. (Original) A fungicidal mixture for controlling harmful fungi, which mixture comprises


- 1) the triazolopyrimidine derivative of the formula I



I

and

- 2) fenpropidin of the formula II,



II

in a synergistically effective amount.

2. (Original) The fungicidal mixture according to claim 1 comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.
3. (Currently Amended) A composition comprising a liquid or solid carrier and a mixture according to claim 1 ~~or 2~~.
4. (Original) A method for controlling harmful fungi which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the compound I and the compound II according to claim 1.

5. (Currently Amended) The method according to **claim 4**, wherein the compounds I and II ~~according to claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
6. (Currently Amended) The method according to **claim 4**, wherein the mixture ~~according to claim 1 or 2~~ is applied in an amount of from 5 g/ha to 1000 g/ha.
7. (Currently Amended) The method according to ~~any of claims 4 to 6~~ claim 4, wherein harmful fungi from the class of the *Oomycetes* are controlled.
8. (Currently Amended) The method according to ~~claims 4 and 5~~ claim 4, wherein the mixture ~~according to claim 1 or 2~~ is applied in an amount of from 1 to 1000 g/100 kg of seed.
9. (Currently Amended) Seed comprising the mixture according to ~~claims 1 and 2~~ claim 1 in an amount of from 1 to 1000 g/100 kg.
10. (Original) The use of the compounds I and II according to claim 1 for preparing a composition suitable for controlling harmful fungi.

11. (New) A composition comprising a liquid or solid carrier and a mixture according to claim 2.
12. (New) The method wherein the compounds I and II according to claim 1-are applied simultaneously, that is jointly or separately, or in succession.
13. (New) The method wherein the mixture according to claim 1 is applied in an amount of from 5 g/ha to 1000 g/ha.
14. (New) The method wherein the mixture according to claim 2 is applied in an amount of from 5 g/ha to 1000 g/ha.
15. (New) The method according to claim 5, wherein harmful fungi from the class of the *Oomycetes* are controlled.
16. (New) The method according to claim 6, wherein harmful fungi from the class of the *Oomycetes* are controlled.
17. (New) The method according to claim 5, wherein the mixture is applied in an amount of from 1 to 1000 g/100 kg of seed.

18. (New) The method wherein the mixture according to claim 1 is applied in an amount of from 1 to 1000 g/100 kg of seed.
19. (New) The method wherein the mixture according to claim 2 is applied in an amount of from 1 to 1000 g/100 kg of seed.
20. (New) Seed comprising the mixture according to claim 2 in an amount of from 1 to 1000 g/100 kg.